

XEBC-10EU-EPRM

Project	
•	
Item	
Quantity	
Date	

Model

BAKERTOP MIND.Maps™ PLUS COUNTERTOP



- Combi steamer
- Electric
- 10 trays 600x400
- · Hinged left (right hand door)
- 9.5" Touch control panel

DESCRIPTION

Technologically advanced combi oven for fresh or frozen baking processes and for gastronomy cooking processes (dehydrating, steaming, low temperature baking, sous vide cooking, roasting, grilling, pan frying, regeneration and plated regeneration) thanks to the Unox Intensive Cooking and Intelligence Performance technologies which guarantee perfect results and repeatability for any load size. Automatic management of cooking processes (CHEFUNOX) for perfect results even without a trained staff.

STANDARD COOKING FEATURES

Manual cooking

- Temperature: 30 °C 260 °C
- Up to 9 cooking steps
- CLIMA.Control: humidity or dry air set by 10%
- Delta T cooking with core probe
- MULTI.Point core probe
- SOUS-VIDE core probe

Programs

- 1000+ Programs
- CHEFUNOX: choose something to cook from the library and the oven will automatically set all the parameters
- MULTI.TIME: manages up to 10 cooking processes at the same time
- MISE.EN.PLACE: synchronises the insertion of pans so that all the dishes are ready at the same time
- MIND.Maps™: draw the cooking processes directly on the display
- READY.BAKE: ready to use settings for a quick start

STANDARD TECHNICAL FEATURES

- ROTOR.Klean™: automatic washing system
- Automatic special washing behind the fan guard
- Cooking chamber in high-resistance AISI 304 stainless steel with rounded edges
- Triple glass
- Cooking chamber lighting through LED lights embedded in the door
- Tray supports with anti-tipping system
- Drip collection system integrated in the door and functional even with the door open
- 4-speed fan system and high-performance circular resistance
- Integrated DET&Rinse™ detergent container
- Integrated Wi-Fi
- Wi-Fi / USB data: download/upload HACCP data
- Wi-Fi / USB data: download/upload programs

ADVANCED AND AUTOMATIC COOKING FEATURES

Unox Intelligent Performance

- ADAPTIVE.Cooking™: automatically regulates the cooking parameters to ensure repeatable results
- CLIMALUX™: total control of the humidity in the cooking chamber
- SMART.Preheating: sets automatically the temperature and the duration of the preheating
- AUTO.Soft: manages the heat rise to make it more delicate
- SENSE.Klean: estimates how dirty the oven is and suggests appropriate automatic cleaning

Unox Intensive Cooking

- DRY.Maxi™: rapidly extracts the humidity from the cooking chamber
- STEAM.Maxi™: produces saturated steam
- AIR.Maxi™: manage fans auto-reverse and pulse function
- PRESSURE.Steam: increases the saturation and temperature of steam

Data Driven Cooking


 Control and monitor the operating conditions of your ovens in real-time, create and share new recipes. The Al transforms the consumption data into useful information in order to increase your daily profit. Create, understand, improve


APP & WEB SERVICES


- Data Driven Cooking app & webapp
- Top Training app
- Combi guru App




XEBC-10EU-EPRM









DIMENSIONS AND WEIGHT 860 mm

967 mm

1163 mm

148 kg

80 mm

Width

Depth Height

Net Weight

Pan spacing

CONNECTION POSITIONS

2	Terminal board power supply	10	Rotor.KLEAN™ connection
3	Unipotential terminal	11	Cavity drain pipe
6	Technical data plate	12	Hot fumes exhaust chimney
7	Safety thermostat	13	Accessories connection
8	3/4" Thread water inlet	27	Cooling air outlet

We reserve the right to make technical improvements - 31/7/2020

XEBC-10EU-EPRM

Power and gas supply Water connections Installation requirements

Accessories

POWER SUPPLY

STANDARD

Voltage	380-415 V
Phase	3PH+N+PE
Frequency	50-60 Hz
Total power	21 kW
Maximum Amp Draw	32.6 A
Required breaker size*	40 A
Power cable requirement	H07RN-F 5G 4 mm ²
Cord diameter	16 mm
Plug	NOT INCLUDED

WATER SUPPLY

USING A WATER SUPPLY NOT MEETING UNOX'S MINIMUM WATER QUALITY STANDARDS WILL VOID ANY WARRANTY.

It is the responsibility of the purchaser to ensure that the incoming water supply is compliant with the specifications listed through adequate treatment measures.

Drinking water inlet: 3/4" NPT*, line Line pressure: pressure: 22 to 87 psi; 1.5 to 6 Bar (29

psi: 2 Bar recommended)

Inflow water specifications

Free chlorine	≤ 0.1 ppm
Chloramine	≤ 0.1 ppm
pH	7 - 8.5
TDS	≤ 125 ppm
Electrical conductivity	≤ 1000 µS/cm

Steam circuit: inflow water specifications

Total hardness (TH)	≤ 8 °dH (142 ppm)
Chlorides	≤ 25 ppm

To avoid the formation of limescale the incoming water must have total hardness ≤ 8°dH (142 ppm).

Wash circuit: inflow water specifications

Total hardness (TH)	≤ 30 °dH (534 ppm)
Chlorides	≤ 120 ppm

ACCESSORIES

- DET&Rinse™ PLUS: cleaning and rinse agents to combine maximum cleanliness with minimum consumption and long life for your oven
- DET&Rinse™ ECO: eco formula for daily cleaning and the utmost respect for the environment. Ideal for mild level of dirt.
- Ventless hood: steam condensing hood
- Waterless hood: filters odors and absorbs latent heat from the exhausts pipes without using water
- Baking Essentials: special trays
- QUICK.Load and trolley system
- STEAM.Boost high capacity heat storage system that allows your oven to produce, if required, 50% more steam during the crucial minutes of the starting of the baking process
- PURE: the filter reduces the carbonate hardness in water, thus avoiding scale deposits inside the oven cooking chamber
- PURE-RO: reverse osmosis system that eliminates Chlorides and limescale from
- Ethernet connection kit

INSTALLATION REQUIREMENTS

Installations must comply with all local electrical systems, particularly as for minimum wire gauge required for field connection, hydraulic and ventilation supply. Exhaust and fume analysis must be performed in case of gas ovens.

久順餐飲設備有限公司 http://www.jeoushun.com/

客服專線 0800-225222,客服傳真 0800-025666,客服專線 0925-225222 北部地區 0925-22555,台北 02-82186031

中部地區 0925-553333 · 台中 04-22429263 南部地區 0925-512222 · 台南 06-2460300 · 嘉義 05-2771771 · 高雄楠梓0925-112222 http://www.jeoushun.com/Baking-machine.htm#久順餐飲設備有限公司》供烤機_請問您要問哪一台?_編號?_本網站所有圖片"點圖"皆可放大 https://line.me/R/oa/call/@gvt4805f?confirmation=true&from=call_url#使用Line免費通話

